

K4EGDP10TT

ELECTRIC DIRECT GRIDDLE 1 MODULE TOP



PRODUCT DESCRIPTION

Stainless steel frame. Athermic thermoset plastic knobs with useful screen printed edges.

Heating obtained through **heating elements with AISI 304 sheath**, which work in air and are suitable for the temperatures to which they are exposed (400°C). The heat load of the heating elements allows **heat exchange only towards the food** to improve cooking and energy savings. Safety thermostat with automatic reset to protect the heating elements. Energy regulator adjusting the frequency of ON-OFF operation of the heating elements. The maximum continuous operation position is useful in the cleaning process, as it induces pyrolysis of the fats on the heating elements.

AISI 304 cold-pressed water tank with drain hole. The water improves the quality of the food cooked and carries the cooking fats to the drain.

Tap for filling and refilling water placed on the frontal panel. **Tank drain** placed on the frontal panel and operated by a lever.

2 mm thick moulded AISI 304 stainless steel worktop with rounded edges for easy cleaning. Stainless steel front, side and back panels.

Laser-cut work top finishing for "head-to-head" matching and binding fastening.

Accessories available **on demand**.



TECHNICAL SPECIFICATIONS

Width: 800 mm
Depth: 900 mm
Height: 265 mm
Weight: 63 kg
Volume: 0.47 m³
Electrical power: 10.80 kW






K4EGDP10TT

GRIGLIA ELETTRICA DIRETTA - GRILLE ÉLECTRIQUE DIRECTE - DIRECT ELECTRIC GRILL - DIREKTER ELEKTROGRILL - PARRILLA ELÉCTRICA DIRÉCTA - ЗЛЕКТР'УЕСК' ПР'ЛЬ ПРЯМОРО НАРРЕВА

DATI TECNICI / CARACTERISTIQUES TECHNIQUES / TECHNICAL SPECIFICATIONS / TECHNISCHE DATEN / CARACTERISTICAS TECNICAS / ТЕХНИЧЕСКИЕ ХАРАКТЕРИСТИКИ

Dimensioni / Dimensions / Dimensions / Maße / Medidas / Размеры	[мм]	800x900x250
Potenza elettrica / Puissance électrique / Electric Power / Elektro-Leistung / электр. (E)	[Kw] - [кВт]	10,8
(F)	[V]	400/3N
(G)	[Hz] - [Гц]	50/60
Cavo (non fornito in dotazione) / Cable (non fourni) / Cable (not supplied) / Kabel (nicht mitgeliefert) / Cable / Кабель	H07 RN-F [мм ²]	5 x 2,5
Voltaggi diversi e versioni navali disponibili su richiesta / Différentes tensions et versions maritimes disponibles sur demande / Different voltages and marine versions available on request / Verschiedene Spannungen und Schiffsausführungen auf Anfrage erhältlich / Различные напряжения и варианты исполнения корабля - по запросу		
Press. Acqua - Pression eau - Water pressure - Wasserdruck - Presion agua - Давл. воды	[bar] [бар] MAX МАКС	300
Raccordo acqua / Raccordement eau / Water fitting / Wasseranschluss / Empalme agua / Фитинг воды		UNI-ISO 7/1 R ½



E= elettrico \ électrique \ electric \ Elektrisch \ eléctrico \ электрич

C= Carico acqua \ Remplissage d'eau \ Water filling \ Wasser anfüllen \ Carga agua \ Заливка воды

S-D= Scarico acqua \ Évacuer l'eau \ Water emptying \ Wasser entleeren \ Descarga agua \ Слив воды