

K6ECU15FF

ELECTRIC RANGE 6 PLATES + ELECTRIC OVEN 1/1 GN + OPEN CABINET



PRODUCT DESCRIPTION

Stainless steel frame. Athermic thermoset plastic knobs with useful screen printed edges. Double-skinned moulded oven door and AISI 304 elliptical cross-section designed handle.

Heating obtained through **cast iron round electric plates**. Heating elements fixed on the plate bottom, embedded in a layer of insulating material. Each hotplate is provided with a selector, which enables the variation of the heat output **from maximum to minimum in seven positions**. Safety ensured by a temperature limit-switch situated inside the hotplate.

AISI 304 moulded work surface presenting a reverse drawing for perfect lodging the electric plates, easy cleaning and avoiding liquid damaging electric parts. Stainless steel AISI 304 front panel.

Electric static oven 1/1 GN and open cabinet. Stainless steel AISI 430 oven cooking chamber and thick stainless steel oven floor. Stainless steel removable oven grill.

Insulation of the cooking chamber and of the oven door ensured by a layer of high temperature resistant ceramic fibre.

Heating obtained through **heating elements placed under the bottom and on the top of the cooking chamber**. Equipped with a thermostat that adjusts the temperature between 90°C and 300°C. Possibility to select different types of heating: from below only, from above only or both from below and above through a selector.

Laser-cut work top finishing for "head-to-head" matching and binding fastening.

Height-adjustable stainless steel legs.

Accessories available **on demand**.



TECHNICAL SPECIFICATIONS

Width: 900 mm
Depth: 600 mm
Height: 850 mm
Weight: 80 kg
Volume: 0.73 m³
Electrical power: 15.00 kW




K6ECU15FF

CUCINA 6 PIASTRE ELETTRICHE + FORNO ELETTRICO 1/1 GN + VANO APERTO /
FOURNEAU ELECTRIQUE 6 PLAQUES + FOUR ELECTRIQUE 1/1 GN + BAIE LIBRE
OUVERTE / ELECTRIC RANGE 6 PLATES + ELECTRIC OVEN 1/1 GN + OPEN CABINET
/ ELEKTROHERD 6 KOCHPLATTEN + ELEKTROBACKOFEN 1/1 GN + OFFENER
UNTERSCHRANK / COCINA ELÉCTRICA 6 PLACAS + HORNO ELÉCTRICO 1/1 GN + BASE
ABIERTA / ЭЛЕКТРИЧЕСКАЯ ПЛИТА С 6 КОНФОРКАМИ + ЭЛЕКТРИЧЕСКАЯ ДУХОВКА 1/1
GN + ОТКРЫТЫЙ ШКАФ

DATI TECNICI / CARACTERISTIQUES TECHNIQUES / TECHNICAL SPECIFICATIONS / TECHNISCHE DATEN / CARACTERISTICAS TECNICAS / ТЕХНИЧЕСКИЕ ХАРАКТЕРИСТИКИ

Dimensioni / Dimensions / Dimensions / Maße / Medidas / Размеры	[mm]	600x900x845
Potenza elettrica / Puissance électrique / Electric Power / Elektro-Leistung / Potencia eléctrica / электр. (E)	[Kw] - [кВт]	15
(F)	[V]	400/3N
(G)	[Hz] - [Гц]	50/60
Cavo (non fornito in dotazione) / Cable (non fourni) / Cable (not supplied) / Kabel (nicht mitgeliefert) / Cable / Кабель	H07 RN-F [mm ²]	5 x 6
Voltaggi diversi e versioni navali disponibili su richiesta / Différentes tensions et versions maritimes disponibles sur demande / Different voltages and marine versions available on request / Verschiedene Spannungen und Schiffsausführungen auf Anfrage erhältlich / Различные напряжения и варианты исполнения корабля - по запросу		
Piastra / Plaque / Plate / Platte / Placa / Конф. эл.	[Kw] - [кВт]	6 x 2
Forno / Four / Oven / Ofen / Horno / Духовка эл.	[Kw] - [кВт]	1 x 3

2 kw Ø 18 cm	2 kw Ø 18 cm	2 kw Ø 18 cm
2 kw Ø 18 cm	2 kw Ø 18 cm	2 kw Ø 18 cm
	3 kw	



E= elettrico \ électrique \ electric \ Elektrisch \ eléctrico \ электрич

Optional

n. 1x **K6PORTA** Porta - Porte - Door - Tür - Puerta – Дверца