

K6EFG10TT

ELECTRIC FRYER DOUBLE TANK 10+10 lt.



PRODUCT DESCRIPTION

Stainless steel frame. Athermic thermoset plastic knobs with useful screen printed edges.

Oil heating obtained through **stainless steel fix heating elements**, immersed in oil in the middle of the tank for easy cleaning operations. Manually-reactivating safety thermostat.

Two 10 lt. tanks provided with a thermostat, which enables the temperature to be regulated between 100°C and 190°C.

Stainless steel tank with rounded edges sloping towards the drain spout.

Moulded work surface and tank for easy cleaning. Stainless steel front, side and back panels.

Standard equipped with 2 steel baskets **K26440**.

Drain valve provided by athermic thermoset plastic handle and safety closing system, placed on the front of the appliance.

Laser-cut work top finishing for "head-to-head" matching and binding fastening.

Accessories available **on demand**.



TECHNICAL SPECIFICATIONS

Width: 600 mm
Depth: 600 mm
Height: 295 mm
Weight: 24 kg
Volume: 0.31 m³
Electrical power: 16.00 kW







K6EFG10TT

FRIGGITRICE ELETTRICA 10 + 10 LT. DA BANCO - FRITEUSE ÉLECTRIQUE 10 + 10 LT. À POSER - ELECTRIC FRYER 10 + 10 LT. TABLE TOP - ELEKTROFRITTEUSE 10 + 10 LT. TISCHGERÄT - FREIDORA ELÉCTRICA 10 + 10 LT. DE BANCO - ФРИТЮРНИЦА ЭЛЕКТРИЧЕСКАЯ 10 + 10 Л. НАСТОЛЬНАЯ

DATI TECNICI / CARACTERISTIQUES TECHNIQUES / TECHNICAL SPECIFICATIONS / TECHNISCHE DATEN / CARACTERISTICAS TECNICAS / ТЕХНИЧЕСКИЕ ХАРАКТЕРИСТИКИ

Dimensioni / Dimensions / Dimensions / Maße / Medidas / Размеры	[mm]	600x600x280
Potenza elettrica / Puissance électrique / Electric Power / Elektro-Leistung / электр. (E)	[Kw] - [кВт]	16
(F)	[V]	400/3N
(G)	[Hz] - [Гц]	50/60
Cavo (non fornito in dotazione) / Cable (non fourni) / Cable (not supplied) / Kabel (nicht mitgeliefert) / Cable / Кабель	H07 RN-F [mm ²]	5 x 4
Voltaggi diversi e versioni navali disponibili su richiesta / Différentes tensions et versions maritimes disponibles sur demande / Different voltages and marine versions available on request / Verschiedene Spannungen und Schiffsausführungen auf Anfrage erhältlich / Различные напряжения и варианты исполнения корабля - по запросу		
Capacità vasca / Capacité cuve / Tank capacity / Beckeninhalt / Capacidad cuba / Ёмкость чаши	[L] [л]	10 + 10
Quantità di patate massima contenuta in un cesto grande - Quantité maximale de pommes de terre dans un grand panier - Maximum quantity of potatoes in a large basket - Maximale Menge an Kartoffeln in einem großen Korb - Cantidad máxima de patatas en una cesta grande - Максимальное количество картофеля в большой корзине	[kg] [кг]	1,75 + 1,75
Produzione massima - Production maximale - Maximum output - Maximale Leistung - Producción máxima - Максимальное производство	[kg/h] [кг/ч]	34



E= elettrico \ électrique \ electric \ Elektrisch \ eléctrico \ электрич

Standard

		Mm	
	K26440	a 310 b 200 h 100	Basket for electric fryer 1/1 Cesto friggitrice elettrica 1/1 Panier friteuse électrique 1/1 Elektro-Fritteusenkorb 1/1 Cesta freidora eléctrica1/1 Корзина для электрической фритюрницы 1/1

Accessori - Accessoires - Accessories - Zubehöre -

Accesorios - Аксессуары

	K26439	a 310 b 97 h →100	Basket for electric fryer 1/2 Cesto friggitrice elettrica 1/2 Panier friteuse électrique 1/2 Elektro-Fritteusenkorb 1/2 Cesta freidora eléctrica1/2 Корзина для электрической фритюрницы 1/2
	K00088		Kit giunzione serie 700/600 Kit connexion série 700/600 Connecting kit series 700/600 Verbindungssatz Serie 700/600 Kit conexión serie 700/600 Комплект соединяющие части серия 700/600

	K6COPEFG	a 370 b 250 h →50	Lid for electric fryer Coperchio per friggitrice elettrica Couvercle pour friteuse électrique Deckel für Elektrofritteuse Tapa para friedora eléctrica Крышка для электрической фритюрницы
---	-----------------	--	---