

K6GCUS05TT

TOP GAS RANGE 2 BURNERS



PRODUCT DESCRIPTION

Stainless steel frame. Athermic thermoset plastic knobs.

Heating by **cast-iron, sealed, stabilised flame and superimposed double crown burners of 6.5 kW maximum.**

Each burner provided with a **safety gas cock**, which enables the output to be regulated from maximum to minimum. Safety ensured by a thermocouple kept active by the burner flame.

Surface grids made of steel covered by material.

Surface grids placed on moulded surfaces with rounded edges and water-tight burners for easy cleaning.

Laser-cut work top finishing for "head-to-head" matching and binding fastening.

Tested with natural gas or LPG, according to the user's needs.

Accessories available **on demand**.



TECHNICAL SPECIFICATIONS

Width: 300 mm
Depth: 600 mm
Height: 295 mm
Weight: 11 kg
Volume: 0.12 m³
Gas power: 13.00 kW




VEGGIEWOOD Tomato, lettuce, onion, mayo		5€	TERIYAKI CLUB Teriyaki chicken, tomato, lettuce, red onion		5,5€
CLUB SANDWICH Chicken, bacon, tomato, lettuce, onion, mayo		5,5€	HOLLY SANDWICH Chicken, corn, onion, egg, lettuce		5,5€
MADRAS CLUB Curry chicken, tomato, lettuce, red onion		6€	MON BIKINI Ham, cheese		5€
HOLLY STARTERS			HOLLY DESSERTS		
CONVENT CHICKEN WINGS		4,5€	CHOCOLATE TRINITY		4€
ONION RINGS OF FIRE		4€	Three features of chocolate		
CAESAR'S SALAD		6,5€	HOLLY CHEESECAKE		4€
TRINITY CHEESE SALAD		6,5€	From New York to Heaven		
DRIVING FRENCH FRIES		5€	HOLLY ICE CREAMS		5,5€
			Cool your passions		
FOLLOW US ON facebook			ENGLISH		
			T 04 342 37 59		

K6GCUS05TT

CUCINA GAS 2 FUOCHI DA BANCO / FOURNEAU À GAZ 2 BRÛLEURS À POSER / TOP GAS RANGE 2 BURNERS TABLE TOP / GASHERD 2 KOCHSTELLEN TISCHGERÄT / COCINAS A GAS 2 QUEMADORES DE BANCO / ГАЗОВАЯ ПЛИТА С 2 КОНФОРКАМИ НАСТОЛЬНАЯ

DATI TECNICI / CARACTERISTIQUES TECHNIQUES / TECHNICAL SPECIFICATIONS / TECHNISCHE DATEN / CARACTERISTICAS TECNICAS / ТЕХНИЧЕСКИЕ ХАРАКТЕРИСТИКИ

Dimensioni / Dimensions / Dimensions / Maße / Medidas / Размеры	[мм]	300x600x295
Gas / Gaz / Gas / Gas / Газ (B)	[Kw] - [кВт]	13
Tipo / Type / Type / Typ / Тип (A)		A1
GPL/LPG / Сжиженный нефтяной газ (G30) (D)	[Kg/h] [кг/ч]	0,867 (30 mbar)
Metano / Methane / Natural gas / Erdgas / Метан (G20) (C)	[m3/h] [м3/ч]	1,376
Aria / Air / Luft / Aire / Воздух	[m3/h] [м3/ч]	26
Racc. Gas / Racc. Gaz / Gas fitting / Gasanschluss / Empalme gas / Газовое соединение		UNI-ISO 7/1 R ½
Bruciatore / Bruleur / Burner / Brenner/Quegador / Горелка (F)	[kW] [кВт]	2 x 6,5

						
A	K6GCUS05TT	<table border="1"><tr><td colspan="2">6,5 kW</td></tr><tr><td colspan="2">6,5 kW</td></tr></table>	6,5 kW		6,5 kW	
6,5 kW						
6,5 kW						
B	K6GCUS10TT	<table border="1"><tr><td>6,5 kW</td><td>6,5 kW</td></tr><tr><td>6,5 kW</td><td>6,5 kW</td></tr></table>	6,5 kW	6,5 kW	6,5 kW	6,5 kW
6,5 kW	6,5 kW					
6,5 kW	6,5 kW					

G = Gas / Gaz / Gas / Gas / Gas / ra3