

K7EFG07TT

ELECTRIC FRYER DOUBLE TANK 11 + 11 lt. - PERFORMANCE LINE



PRODUCT DESCRIPTION

Stainless steel frame. Athermic thermoset plastic knobs with useful screen printed edges.

Oil heating obtained through **stainless steel heating elements**, immersed in oil and **easily tilting** for easy cleaning operations.

Two 11 lt. tanks provided with a thermostat, which enables the temperature to be regulated between 100°C and 190°C.

Manually-reactivating safety thermostat.

Stainless steel tanks with rounded edges sloping towards the drain spout.

Moulded work surface and tanks for easy cleaning. Stainless steel front, side and back panels.

Standard equipped with stainless steel oil container with filter. **Standard equipped** with one basket K26580.

Laser-cut work top finishing for "head-to-head" matching and binding fastening.

Height-adjustable stainless steel legs.

Accessories available **on demand**.



TECHNICAL SPECIFICATIONS

Width: 600 mm
Depth: 700 mm
Height: 265 mm
Weight: 48 kg
Volume: 0.45 m³
Electrical power: 17.40 kW





K7EFG07TT

FRIGGITRICE ELETTRICA 11 + 11 LT. - FRITEUSE ÉLECTRIQUE 11 + 11 LT. - ELECTRIC FRYER 11 + 11 LT. - ELEKTROFRITTEUSE 11 + 11 LT. - FREIDORA ELÉCTRICA 11 + 11 LT. - ФРИТЮРНИЦА ЭЛЕКТРИЧЕСКАЯ 11 + 11 Л.

DATI TECNICI / CARACTERISTIQUES TECHNIQUES / TECHNICAL SPECIFICATIONS / TECHNISCHE DATEN / CARACTERISTICAS TECNICAS / ТЕХНИЧЕСКИЕ ХАРАКТЕРИСТИКИ

Dimensioni / Dimensions / Dimensions / Maße / Medidas / Размеры	[мм]	600x700x250
Potenza elettrica / Puissance électrique / Electric Power / Elektro-Leistung / электр. (E)	[Kw] - [кВт]	17,4
(F)	[V]	400/3N
(G)	[Hz] - [Гц]	50/60
Cavo (non fornito in dotazione) / Cable (non fourni) / Cable (not supplied) / Kabel (nicht mitgeliefert) / Cable / Кабель	H07 RN-F [мм2]	5 x 6
Voltaggi diversi e versioni navali disponibili su richiesta / Différentes tensions et versions maritimes disponibles sur demande / Different voltages and marine versions available on request / Verschiedene Spannungen und Schiffsausführungen auf Anfrage erhältlich / Различные напряжения и варианты исполнения корабля - по запросу		
Capacità vasca / Capacité cuve / Tank capacity / Beckeninhalt / Capacidad cuba / Ёмкость чаши	[L] [л]	12 + 12
Quantità di patate massima contenuta in un cesto grande - Quantité maximale de pommes de terre dans un grand panier - Maximum quantity of potatoes in a large basket - Maximale Menge an Kartoffeln in einem großen Korb - Cantidad máxima de patatas en una cesta grande - Максимальное количество картофеля в большой корзине	[kg] [кг]	1,6 + 1,6
Produzione massima - Production maximale - Maximum output - Maximale Leistung - Producción máxima - Максимальное производство	[kg/h] [кг/ч]	35



E= elettrico \ électrique \ electric \ Elektrisch \ eléctrico \ электрич

Standard

			
		Mm	
	K26580	a 200 b 285 h 100	Cesto friggitrice 1/1 Panier friteuse 1/1 Basket for fryer 1/1 Korb für Fritteuse 1/1 Cesta freidora 1/1 Корзина для фритюрницы 1/1

Accessori - Accessoires - Accessories - Zubehöre -

Accessorios - Аксессуары

	K00088		Kit giunzione serie 700/600 Kit connexion série 700/600 Connecting kit series 700/600 Verbindungssatz Serie 700/600 Kit conexión serie 700/600 Комплект соединяющие части серия 700/600
	K6COPEFGR		Lid for gas fryer Coperchio per friggitrice a gas Couvercle pour friteuse à gaz Deckel für Gasfritteuse Tapa para friedora a gas Крышка для газовой фритюрницы