

K7EFG1015

ELECTRIC FRYER DOUBLE TANK 15+15 lt. - PERFORMANCE LINE



PRODUCT DESCRIPTION

Stainless steel frame. Athermic thermoset plastic knobs with useful screen printed edges. Double-skinned door and sturdy handle. Oil heating obtained through **stainless steel heating elements**, immersed in oil and **easily tilting** for easy cleaning operations.

Two 15 lt. tanks provided with a thermostat, which enables the temperature to be regulated between 100°C and 190°C.

Manually-reactivating safety thermostat.

Stainless steel tanks with rounded edges sloping towards the drain spout that is connected to a stainless steel oil container.

Moulded work surface and tank for easy cleaning. Stainless steel front, side and back panels.

Standard equipped with stainless steel oil container with filter. **Standard equipped** with stainless two steel baskets K26237 and two tank lids K7COPFGP.

Laser-cut work top finishing for "head-to-head" matching and binding fastening.

Height-adjustable stainless steel legs.

Accessories available **on demand**.



TECHNICAL SPECIFICATIONS

Width: 800 mm
Depth: 700 mm
Height: 850 mm
Weight: 68 kg
Volume: 0.80 m³
Electrical power: 30.00 kW




K7GFE1015

FRIGGITRICI A GAS - COMANDI ELETTRONICI // FRITEUSES À GAZ - COMMANDES ELECTRONIQUES // GAS FRYER - ELECTRONIC CONTROL // GAS FRITTEUSEN - ELEKTRONISCHE KONTROLLE // FREIDORAS A GAS - MANDOS ELECTRONICOS // ГАЗОВЫЕ ФРИТЮРНИЦЫ - ЭЛЕКТРОННОЕ УПРАВЛЕНИЕ

DATI TECNICI / CARACTERISTIQUES TECHNIQUES / TECHNICAL SPECIFICATIONS / TECHNISCHE DATEN / CARACTERISTICAS TECNICAS / ТЕХНИЧЕСКИЕ ХАРАКТЕРИСТИКИ

Dimensioni / Dimensions / Dimensions / Maße / Medidas / Размеры	[мм]	800x700x850
Gas / Gaz / Gas / Gas / Газ (B)	[Kw] - [кВт]	30
Tipo / Type / Type / Typ / Тип (A)		A1/B21
GPL/LPG / Сжиженный нефтяной газ (G30) (D)	[Kg/h] [кг/ч]	2,365
Metano / Methane / Natural gas / Erdgas / Метан (G20) (C)	[m3/h] [м3/ч]	3,089
Aria / Air / Luft / Aire / Воздух	[m3/h] [м3/ч]	60
Racc. Gas / Racc. Gaz / Gas fitting / Gasanschluss / Empalme gas / Газовое соединение		UNI-ISO 7/1 R ½
Capacità vasca/ Capacité cuve/ Tank capacity/ Beckeninhalte/ Capacidad cuba / Ёмкость чаши	[Lt] [л]	15 + 15
per vasca/ par cuve/ each tank/ pro Becken / por cuba / на чашу/	[kg] [кг]	2 + 2
Max / макс	[Kg/h] [кг/ч]	40




G = Gas / Gaz / Gas / Gas / Gas / газ

Standard

			
		Mm	
	K26281	a 270 b 280 h 111	Cesto friggitrice 1/1 Panier friteuse 1/1 Basket for fryer 1/1 Korb für Fritteuse 1/1 Cesta freidora 1/1 Корзина для фритюрницы 1/1
	C2VOFG		Bacinella raccogli olio + Filtro inox Bac de récupération d'huile + filtre en acier inoxydable Container for collecting oil + stainless steel filter Ölauffangwanne + Edelstahlfilter Recipiente de recogida de aceite + filtro de acero inoxidable Емкость для сбора масла + фильтр нержавеющей сталь
	K7COPFGP		Lid for gas fryer Coperchio per friggitrice a gas Couvercle pour friteuse à gaz Deckel für Gasfritteuse Tapa para freidora a gas Крышка для газовой фритюрницы

Accessori - Accessoires - Accessories - Zubehöre -

Accesorios - Аксессуары

	K26280	a 130 b 280 h →111	Cesto friggitrice 1/2 Panier friteuse 1/2 Basket for fryer 1/2 Korb für Fritteuse 1/2 Cesta freidora 1/2 Корзина для фритюрницы 1/2
	K00088		Kit giunzione serie 700/600 Kit connexion série 700/600 Connecting kit series 700/600 Verbindungssatz Serie 700/600 Kit conexión serie 700/600 Комплект соединяющие части серия 700/600