

# K7EGD05TT

## ELECTRIC DIRECT GRILL 1/2 MODULE TOP



### PRODUCT DESCRIPTION

Stainless steel frame. Athermic thermoset plastic knobs with useful screen printed edges.

Heating obtained through **heating elements with AISI 304 sheath**, which work in air and are suitable for the temperatures to which they are exposed (400°C). The heat load of the heating elements allows **heat exchange only towards the food** to improve cooking and energy savings. Safety thermostat with automatic reset to protect the heating elements. Energy regulator adjusting the frequency of ON-OFF operation of the heating elements. The maximum continuous operation position is useful in the cleaning process, as it induces pyrolysis of the fats on the heating elements.

**Removable AISI 304 cold-pressed water tank with drain hole.** The water improves the quality of the food cooked and carries the cooking fats to the drain.

AISI 304 stainless steel worktop with **removable 1/1 GN Gastronorm container** with rounded edges for easy cleaning. Stainless steel front, side and back panels.

Laser-cut work top finishing for "head-to-head" matching and binding fastening.

Accessories available **on demand**.



## TECHNICAL SPECIFICATIONS

**Width:** 400 mm

**Depth:** 700 mm

**Height:** 265 mm

**Weight:** 40 kg

**Volume:** 0.21 m<sup>3</sup>

**Electrical power:** 4.10 kW



## K7EGD05TT

GRIGLIA ELETTRICA DIRETTA - GRILLE ÉLECTRIQUE DIRECTE - DIRECT ELECTRIC GRILL - DIREKTER ELEKTROGRILL - PARRILLA ELÉCTRICA DIRÉCTA - ЗЛЕКТР'УЕСК' Р'ЛЬ ПРЯМОРО НАРРЕВА

DATI TECNICI / CARACTERISTIQUES TECHNIQUES / TECHNICAL SPECIFICATIONS / TECHNISCHE DATEN / CARACTERISTICAS TECNICAS / ТЕХНИЧЕСКИЕ ХАРАКТЕРИСТИКИ

Dimensioni / Dimensions / Dimensions / Maße / Medidas / Размеры	[MM]	400x700x250
Potenza elettrica / Puissance électrique / Electric Power / Elektro-Leistung / электр. (E)	[Kw] - [кВт]	4,1
(F)	[V]	400/3N
(G)	[Hz] - [Гц]	50/60
Cavo (non fornito in dotazione) / Cable (non fourni) / Cable (not supplied) / Kabel (nicht mitgeliefert) / Cable / Кабель	H07 RN-F [MM <sup>2</sup> ]	5 x 1,5
Voltaggi diversi e versioni navali disponibili su richiesta / Différentes tensions et versions maritimes disponibles sur demande / Different voltages and marine versions available on request / Verschiedene Spannungen und Schiffsausführungen auf Anfrage erhältlich / Различные напряжения и варианты исполнения корабля - по запросу		
Vasca estraibile / Cuve amovible / Removable tank / Ausziehbares Becken / Cuba desmontable / Чаша съёмный		X

E= elettrico \ électrique \ electric \ Elektrisch \ eléctrico \ электрич