

K7EGD05VV

ELECTRIC DIRECT GRILL 1/2 MODULE + OPEN CABINET



PRODUCT DESCRIPTION

Stainless steel frame. Athermic thermoset plastic knobs with useful screen printed edges.

Heating obtained through **heating elements with AISI 304 sheath**, which work in air and are suitable for the temperatures to which they are exposed (400°C). The heat load of the heating elements allows **heat exchange only towards the food** to improve cooking and energy savings. Safety thermostat with automatic reset to protect the heating elements. Energy regulator adjusting the frequency of ON-OFF operation of the heating elements. The maximum continuous operation position is useful in the cleaning process, as it induces pyrolysis of the fats on the heating elements.

Removable AISI 304 cold-pressed water tank with drain hole. The water improves the quality of the food cooked and carries the cooking fats to the drain.

AISI 304 stainless steel worktop with **removable 1/1 GN Gastronorm container** with rounded edges for easy cleaning. Stainless steel front, side and back panels.

Laser-cut work top finishing for "head-to-head" matching and binding fastening.

Height-adjustable stainless steel legs.

Accessories available **on demand**.



TECHNICAL SPECIFICATIONS

Width: 400 mm

Depth: 700 mm

Height: 850 mm

Weight: 48 kg

Volume: 0.45 m³

Electrical power: 4.10 kW



K7EGD05VV


GRIGLIA ELETTRICA DIRETTA + VANO APERTO - GRILLE ÉLECTRIQUE DIRECTE + BAIE LIBRE OUVERTE - DIRECT ELECTRIC GRILL + OPEN CABINET - DIREKTER ELEKTROGRILL + OFFENER UNTERSCHRANK PARRILLA ELÉCTRICA DIRÉCTA + BASE ABIERTA - ЭЛЕКТРИЧЕСКИЙ РЭЛЬ ПРЯМОГО НАРПЕВА + ОТКРЫТЫЙ ШКАФ

DATI TECNICI / CARACTERISTIQUES TECHNIQUES / TECHNICAL SPECIFICATIONS / TECHNISCHE DATEN / CARACTERISTICAS TECNICAS / ТЕХНИЧЕСКИЕ ХАРАКТЕРИСТИКИ

Dimensioni / Dimensions / Dimensions / Maße / Medidas / Размеры	[мм]	400x700x850
Potenza elettrica / Puissance électrique / Electric Power / Elektro-Leistung / электр. (E)	[Kw] - [кВт]	4,1
(F)	[V]	400/3N
(G)	[Hz] - [Гц]	50/60
Cavo (non fornito in dotazione) / Cable (non fourni) / Cable (not supplied) / Kabel (nicht mitgeliefert) / Cable / Кабель	H07 RN-F [мм ²]	5 x 1,5
Voltaggi diversi e versioni navali disponibili su richiesta / Différentes tensions et versions maritimes disponibles sur demande / Different voltages and marine versions available on request / Verschiedene Spannungen und Schiffsausführungen auf Anfrage erhältlich / Различные напряжения и варианты исполнения корабля - по запросу		
Vasca estraibile / Cuve amovible / Removable tank / Ausziehbares Becken / Cuba desmontable / Чаша съёмный		X

Optional

n. 1 x **K7PORTA** Porta - Porte - Door - Tür - Puerta – Дверца



E= elettrico \ électrique \ electric\ Elektrisch \ eléctrico \ электрич