

K7ETP10FV

ELECTRIC SOLID TOP + ELECTRIC VENTILATED OVEN 1/1 GN



PRODUCT DESCRIPTION

Stainless steel frame. Athermic thermoset plastic knobs with useful screen printed edges. Double-skinned moulded oven door and AISI 304 elliptical cross-section designed handle.

Round-cornered special stainless steel cook top resistant to high temperatures. Provided with **four independent cooking areas**, each of them equipped with a thermostat, which enables the variation of the heat output **from maximum to minimum**.

AISI 304 work surface for easy cleaning. Stainless steel AISI 304 front panel.

Electric ventilated oven 1/1 GN. Oven floor made of made of a thick steel sheet strengthened by a series of ribs. Oven stainless steel removable grill.

Insulation of the cooking chamber and of the oven door ensured by a layer of high temperature resistant ceramic fibre.

Heating obtained through **special stainless steel heating elements resistant to high temperatures**, placed under the bottom and on the top of the cooking chamber. Air movement guaranteed by a **stainless steel fan driven by a powerful electric motor**. Equipped with a thermostat that adjusts the temperature between 90°C and 300°C. Safety thermostat with manual reset against overheating. Possibility to select different types of heating both static and ventilated, both heating from below and grill type, or complete heating. Laser-cut work top finishing for "head-to-head" matching and binding fastening.

Height-adjustable stainless steel legs.

Accessories available **on demand**.



TECHNICAL SPECIFICATIONS

Width: 800 mm
Depth: 700 mm
Height: 850 mm
Weight: 147 kg
Volume: 0.80 m³
Electrical power: 12.65 kW




K7ETP10FV

TUTTAPIASTRA ELETTRICO + FORNO ELETTRICO VENTILATO 1/1 GN / COUP DE FEUX ÉLECTRIQUE + FOUR ÉLECTRIQUE VENTILÉ 1/1GN / ELECTRIC SOLID TOP ON ELECTRIC VENTILATED OVEN 1/1 GN / ELEKTRO-GLÜHPLATTENHERD MIT ELEKTROBACKOFEN MIT UMLUFT 1/1 GN / COCINA DE PLACA RADIANTE ELÉCTRICA + HORNO ELÉCTRICO VENTILADO 1/1 GN / ЭЛЕКТРИЧЕСКАЯ КЕРАМИЧЕСКАЯ ПЛИТА + ЭЛЕКТРИЧЕСКАЯ ДУХОВКА С КОНВЕКЦИЕЙ 1/1 GN

DATI TECNICI / CARACTERISTIQUES TECHNIQUES / TECHNICAL SPECIFICATIONS / TECHNISCHE DATEN / CARACTERISTICAS TECNICAS / ТЕХНИЧЕСКИЕ ХАРАКТЕРИСТИКИ

Dimensioni / Dimensions / Dimensions / Maße / Medidas / Размеры	[мм]	800x700x850
Potenza elettrica / Puissance électrique / Electric Power / Elektro-Leistung / электр. (E)	[Kw] - [кВт]	12,65
(F)	[V]	400/3N
(G)	[Hz] - [Гц]	50/60
Cavo (non fornito in dotazione) / Cable (non fourni) / Cable (not supplied) / Kabel (nicht mitgeliefert) / Cable / Кабель	H07 RN-F [мм2]	5 x 4
Voltaggi diversi e versioni navali disponibili su richiesta / Différentes tensions et versions maritimes disponibles sur demande / Different voltages and marine versions available on request / Verschiedene Spannungen und Schiffsausführungen auf Anfrage erhältlich / Различные напряжения и варианты исполнения корабля - по запросу		
Piastra / Plaque / Plate / Platte / Placa / Конф. эл.	[Kw] - [кВт]	4 x 2,5
Dimensioni Piastra / Dimensions Plaque / Plate Dimensions / Plattenabmessungen / Medidas Placa / размеры плит	[mm]	727 x 504
Forno / Four / Oven / Ofen / Horno / Духовка эл.	[Kw] - [кВт]	1 x 3,65

2,5 kw	2,5 kw
2,5 kw	2,5 kw
3,65 kw	



E= elettrico \ électrique \ electric \ Elektrisch \ eléctrico \ электрич

Standard

n. 1 x Griglia forno in dotazione / Grille du four fournie / Oven grill included / Backofengrill mitgeliefert / Grill para el horno incluido /

Optional

n.1 x **K7A25029** Applicazione suola in ghisa - Sole en fonte - Built-in cast iron bottom - Sohle aus Gusseisen - Opción base en fierro fundido - Дополнение подложка из чугуна для плиты