

# K7GCUP05VV

GAS RANGE 2 BURNERS + OPEN CABINET - PERFORMANCE LINE



## PRODUCT DESCRIPTION

Stainless steel frame. Athermic thermoset plastic knobs.

Heating obtained through **watertight, superposed crown stabilized flame burners** with different power ratings (**6,2 kw and 8,5 kw**). Each burner provided with a safety gas cock, which enables the output to be regulated from maximum to minimum. Safety ensured by a thermocouple kept active by the flame of the pilot burner.

Surface grids and burners made of alkali, acid and fire resistant **matte RAAF enamelled cast iron**.

Surface grids placed on moulded surfaces with rounded edges for easy cleaning and avoiding liquid overflowing.

Stainless steel moulded trays with rounded edges, placed under the burners for easy cleaning.

Laser-cut work top finishing for "head-to-head" matching and binding fastening.

**Height-adjustable** stainless steel legs.

Tested with natural gas or LPG, according to the user's needs.

Accessories available **on demand**.



## TECHNICAL SPECIFICATIONS

**Width:** 400 mm  
**Depth:** 700 mm  
**Height:** 850 mm  
**Weight:** 35 kg  
**Volume:** 0.45 m<sup>3</sup>  
**Gas power:** 14.70 kW




## K7GCUP05VV

CUCINA GAS 2 FUOCHI + VANO APERTO / FOURNEAU À GAZ 2 BRÛLEURS + BAIE LIBRE OUVERTE / GAS RANGE 2 BURNERS + OPEN CABINET / GASHERD 2 KOCHSTELLEN + UNTERBAU OFFEN / COCINA A GAS 2 QUEMADORES + BASE ABIERTA / ГАЗОВАЯ ПЛИТА С 2 КОНФОРКАМИ + ОТКРЫТЫЙ ШКАФ

**DATI TECNICI / CARACTERISTIQUES TECHNIQUES / TECHNICAL SPECIFICATIONS / TECHNISCHE DATEN / CARACTERISTICAS TECNICAS / ТЕХНИЧЕСКИЕ ХАРАКТЕРИСТИКИ**

Dimensioni / Dimensions / Dimensions / Maße / Medidas / Размеры	[мм]	400x700x850
Gas / Gaz / Gas / Gas / Газ (B)	[Kw] - [кВт]	14,7
Tipo / Type / Type / Typ / Тип (A)		A1
GPL/LPG / Сжиженный нефтяной газ (G30) (D)	[Kg/h] [кг/ч]	0,915
Metano / Methane / Natural gas / Erdgas / Метан (G20) (C)	[m3/h] [м3/ч]	1,556
Aria / Air / Luft / Aire / Воздух	[m3/h] [м3/ч]	29,4
Racc. Gas / Racc. Gaz / Gas fitting / Gasanschluss / Empalme gas / Газовое соединение		UNI-ISO 7/1 R ½
Brucciatore / Bruleur / Burner / Brenner/Quegador / Горелка (C)	[kW] [кВт]	1 x 6,2
Brucciatore / Bruleur / Burner / Brenner/Quegador / Горелка (D)	[kW] [кВт]	1 x 8,5



G = Gas / Gaz / Gas / Gas / Gas / газ

### Standard

Bacinella fuochi inox - Bacs brûleurs inox - Stainless steel burner tray - Auffangbehälter aus Edelstahl - Bandejas quemadores en inox – Конфорки из нержавеющей стали

### Optional

n. 1 x **K7PORTA** Porta - Porte - Door - Tür - Puerta – Дверца