

K7GCUS10VV

GAS RANGE 4 BURNERS ON OPEN CABINET - SOLUTION LINE



PRODUCT DESCRIPTION

Stainless steel frame. Athermic thermoset plastic knobs.

Heating by means of **cast-iron, sealed, stabilised flame and superimposed double crown burners with different power ratings (max. 6.5 kW and 7.7 kW).**

Each burner provided with a safety gas cock, which enables the output to be regulated from maximum to minimum. Safety ensured by a thermocouple kept active by the flame of the burner.

Surface grids made of alkali, acid and fire resistant matt RAAF enamelled cast iron.

Surface grids placed on moulded surfaces with rounded edges and burners hermetically sealed at the top for easy cleaning.

Laser-cut work top finishing for "head-to-head" matching and binding fastening.

Height-adjustable stainless steel legs.

Tested with natural gas or LPG, according to the user's needs.

Accessories available **on demand**.



TECHNICAL SPECIFICATIONS

Width: 800 mm
Depth: 700 mm
Height: 850 mm
Weight: 56 kg
Volume: 0.80 m³
Gas power: 28.40 kW



K7GCUS10VV

CUCINA GAS 4 FUOCHI + VANO APERTO / FOURNEAU À GAZ 4 BRÛLEURS + BAIE LIBRE OUVERTE / GAS RANGE 4 BURNERS + OPEN CABINET / GASHERD 4 KOCHSTELLEN + OFFENER UNTERSCHRANK / COCINA A GAS 4 QUEMADORES + BASE ABIERTA / ГАЗОВАЯ ПЛИТА С 4 КОНФОРКАМИ + ОТКРЫТЫЙ ШКАФ

DATI TECNICI / CARACTERISTIQUES TECHNIQUES / TECHNICAL SPECIFICATIONS / TECHNISCHE DATEN / CARACTERISTICAS TECNICAS / ТЕХНИЧЕСКИЕ ХАРАКТЕРИСТИКИ

Dimensioni / Dimensions / Dimensions / Maße / Medidas / Размеры	[мм]	800x700x850
Gas / Gaz / Gas / Gas / Газ (B)	[Kw] - [кВт]	28,4
Tipo / Type / Type / Typ / Тип (A)		A1
GPL/LPG / Сжиженный нефтяной газ (G30) (D)	[Kg/h] [кг/ч]	1,972
Metano / Methane / Natural gas / Erdgas / Метан (G20) (C)	[m3/h] [м3/ч]	3,005
Aria / Air / Luft / Aire / Воздух	[m3/h] [м3/ч]	56,8
Racc. Gas / Racc. Gaz / Gas fitting / Gasanschluss / Empalme gas / Газовое соединение		UNI-ISO 7/1 R ½
Bruciatore / Bruleur / Burner / Brenner/Quegador / Горелка (C)	[kW] [кВт]	2 x 6,5
Bruciatore / Bruleur / Burner / Brenner/Quegador / Горелка (D)	[kW] [кВт]	2 x 7,7

Technical drawings of the K7GCUS range hood showing front, side, and top views with dimensions.

Front View: Shows the control panel with six knobs and the main body. Dimensions: Total height 917 + 60 mm, main body height 127 + 60 mm, main body width 485 mm, and a small side detail height of 65 mm.

Side View: Shows the side profile. Dimensions: Total height 850 + 60 mm, main body height 127 + 60 mm, and a small side detail height of 65 mm.

Top View: Shows the cooktop with six burners. Dimensions: Total width 1200 mm (labeled C), burner spacing 400 mm (labeled A), and burner spacing 800 mm (labeled B). The cooktop depth is 700 mm.

A	K7GCUS05VV	<table> <tr><td>6,5 kW</td></tr> <tr><td>7,7 kW</td></tr> </table>			6,5 kW	7,7 kW				
6,5 kW										
7,7 kW										
K7GCUS05VVPI	<table> <tr><td>6,5 kW</td></tr> <tr><td>8,2 kW</td></tr> </table>			6,5 kW	8,2 kW					
6,5 kW										
8,2 kW										
B	K7GCUS10VV	<table> <tr> <td>6,5 kW</td><td>7,7 kW</td></tr> <tr> <td>7,7 kW</td><td>6,5 kW</td></tr> </table>			6,5 kW	7,7 kW	7,7 kW	6,5 kW		
6,5 kW	7,7 kW									
7,7 kW	6,5 kW									
K7GCUS10VVPI	<table> <tr> <td>6,5 kW</td><td>8,2 kW</td></tr> <tr> <td>8,2 kW</td><td>6,5 kW</td></tr> </table>			6,5 kW	8,2 kW	8,2 kW	6,5 kW			
6,5 kW	8,2 kW									
8,2 kW	6,5 kW									
C	K7GCUS15VV	<table> <tr> <td>6,5 kW</td><td>7,7 kW</td><td>6,5 kW</td></tr> <tr> <td>7,7 kW</td><td>6,5 kW</td><td>7,7 kW</td></tr> </table>			6,5 kW	7,7 kW	6,5 kW	7,7 kW	6,5 kW	7,7 kW
6,5 kW	7,7 kW	6,5 kW								
7,7 kW	6,5 kW	7,7 kW								
K7GCUS15VVPI	<table> <tr> <td>6,5 kW</td><td>8,2 kW</td><td>6,5 kW</td></tr> <tr> <td>8,2 kW</td><td>6,5 kW</td><td>8,2 kW</td></tr> </table>			6,5 kW	8,2 kW	6,5 kW	8,2 kW	6,5 kW	8,2 kW	
6,5 kW	8,2 kW	6,5 kW								
8,2 kW	6,5 kW	8,2 kW								

G = Gas / Gaz / Gas / Gas / Gas / газ

Optional

n. 2 x **K7PORTA** Porta - Porte - Door - Tür - Puerta – Дверца