

K7GCUS15FM

GAS RANGE 6 BURNERS ON MAXI GAS OVEN 105 x 53 cm- SOLUTION LINE



PRODUCT DESCRIPTION

Stainless steel frame. Athermic thermoset plastic knobs.

Heating by means of **cast-iron, sealed, stabilised flame and superimposed double crown burners with different power ratings (max. 6.5 kW and 7.7 kW).**

Each burner provided with a safety gas cock, which enables the output to be regulated from maximum to minimum. Safety ensured by a thermocouple kept active by the flame of the burner.

Surface grids made of alkali, acid and fire resistant matt RAAF enamelled cast iron.

Surface grids placed on moulded surfaces with rounded edges and burners hermetically sealed at the top for easy cleaning.

MAXI gas oven (105 x 53 cm), suitable for holding 3 baking pans 1/1 GN. Oven stainless steel removable grill. Oven floor made of made of a thick steel sheet strengthened by a series of ribs.

Insulation of the cooking chamber and of the oven door ensured by a layer of high temperature resistant ceramic fibre.

Quick temperature rise and heat retention obtained through a stabilized flame burner with high performance integrated diffuser, suitable to work at high temperatures.

Ignition by electric spark working at 230V 1 phase + neutral.

The oven burner is equipped with a thermostatic gas valve which allows to adjust the temperature up to 300°C. Safety ensured by a thermocouple kept active by the burner flame.

Laser-cut work top finishing for "head-to-head" matching and binding fastening.

Height-adjustable stainless steel legs.

Tested with natural gas or LPG, according to the user's needs.

Accessories available **on demand**.



TECHNICAL SPECIFICATIONS

Width: 1200 mm
Depth: 700 mm
Height: 850 mm
Weight: 124 kg
Volume: 1.15 m³
Gas power: 50.60 kW



K7GCUS15FM

CUCINA GAS 6 FUOCHI + FORNO GAS 105x53 cm / FOURNEAU À GAZ 6 BRÛLEURS + FOUR À GAZ 105x53 cm / GAS RANGE 6 BURNERS + GAS OVEN 105x53 cm / GASHERD 6 KOCHSTELLEN + GASBACKOFEN 105x53 cm / COCINA A GAS 6 QUEMADORES + HORNO A GAS 105x53 cm / ГАЗОВАЯ ПЛИТА С 6 КОНФОРКАМИ + ГАЗОВАЯ ДУХОВКА 105x53 cm

DATI TECNICI / CARACTERISTIQUES TECHNIQUES / TECHNICAL SPECIFICATIONS / TECHNISCHE DATEN / CARACTERISTICAS TECNICAS / ТЕХНИЧЕСКИЕ ХАРАКТЕРИСТИКИ

Dimensioni / Dimensions / Dimensions / Maße / Medidas / Размеры	[мм]	1200x700x850
Gas / Gaz / Gas / Gas / Газ (B)	[Kw] - [кВт]	50,6
Tipo / Type / Type / Typ / Тип (A)		A1
GPL/LPG / Сжиженный нефтяной газ (G30) (D)	[Kg/h] [кг/ч]	3,588
Metano / Methane / Natural gas / Erdgas / Метан (G20) (C)	[m3/h] [м3/ч]	5,354
Aria / Air / Luft / Aire / Воздух	[m3/h] [м3/ч]	101,2
Racc. Gas / Racc. Gaz / Gas fitting / Gasanschluss / Empalme gas / Газовое соединение		UNI-ISO 7/1 R ½
Bruciatore / Bruleur / Burner / Brenner/Quegador / Горелка (C)	[kW] [кВт]	3 x 6,5
Bruciatore / Bruleur / Burner / Brenner/Quegador / Горелка (D)	[kW] [кВт]	3 x 7,7
Forno / Four / Oven / Ofen / Horno / Духовка 2/1 GN (G)	[kW] [кВт]	1 x 8

Technical drawings of the K7GCUS15FM range hood. The front view shows a unit with 7 burners and a 60cm wide oven door. The side view shows a depth of 65cm, a main body height of 916cm, a base height of 126cm, a base width of 55cm, and a total width of 485cm. The top view shows a 1200cm wide cooktop with 7 burners and a 700cm high hood.

C

K7GCUS15FM

6,5 kW

7,7 kW

6,5 kW

7,7 kW

6,5 kW

7,7 kW

8 kW

K7GCUS15FMPI

6,5 kW

8,2 kW

6,5 kW

8,2 kW

6,5 kW

8,2 kW

8 kW

G = Gas / Gaz / Gas / Gas / Gas / ra3