

K7GPL05VVC

MOVABLE LAVA-STONE GRILL 1/2 UNIT FOR MEAT + OPEN CABINET



PRODUCT DESCRIPTION

Stainless steel frame. Athermic thermoset plastic knobs with useful screen printed edges.

Heating obtained through a **two-branch stabilized flame burner**. Equipped with a safety gas cock that allows the power to be regulated **from maximum to minimum**. Safety ensured by a thermocouple kept active by the pilot burner flame.

Standard equipped with movable stainless steel meat grill. Food support grill that can be positioned **at two different levels**, even during service.

Sloping surface facing the fat drain hole, connected to a large capacity container under the cooking surface.

Standard equipped with a small drawer to collect dust from burning lava stone.

Standard equipped with one 5 kg lava bag.

Moulded worktop made of AISI 304 stainless steel with rounded edges for easy cleaning.

Laser-cut work top finishing for "head-to-head" matching and binding fastening.

Tested with natural gas or LPG, according to the user's needs.

Height-adjustable stainless steel legs.

Accessories available **on demand**.



TECHNICAL SPECIFICATIONS

Width: 400 mm
Depth: 700 mm
Height: 850 mm
Weight: 53 kg
Volume: 0.47 m³
Gas power: 9.00 kW




K7GPL05VVC

GRIGLIE MOBILI PIETRA LAVICA ½ MODULO PER CARNE + VANO APERTO - GRILLES MOBILES PIERRE VOLCANIQUE ½ MODULE POUR VIANDE + BAIE LIBRE OUVERTE - MOVABLE LAVASTONE GRILLS ½ UNIT FOR MEAT + OPEN CABINET - BEWEGLICHE LAVASTEINGRILLS ½ MODUL FÜR FLEISCH + OFFENER UNTERSCHRANK - PARRILLAS MOVILES DE PIEDRA VOLCANICA ½ MÓDULO PARA CARNE + BASE ABIERTA - ПЕРЕДВИЖНЫЕ ЛАВОВЫЕ ГРИЛИ НАСТОЛЬНЫ, МОДУЛЬ ½ ДЛЯ МЯСА+ ОТКРЫТЫЙ ШКАФ

DATI TECNICI / CARACTERISTIQUES TECHNIQUES / TECHNICAL SPECIFICATIONS / TECHNISCHE DATEN / CARACTERISTICAS TECNICAS / ТЕХНИЧЕСКИЕ ХАРАКТЕРИСТИКИ

Dimensioni / Dimensions / Dimensions / Maße / Medidas / Размеры	[мм]	400x700x850
Gas / Gaz / Gas / Gas / Газ (B)	[Kw] - [кВт]	9
Tipo / Type / Type / Typ / Тип (A)		A1
GPL/LPG / Сжиженный нефтяной газ (G30) (D)	[Kg/h] [кг/ч]	0,709
Metano / Methane / Natural gas / Erdgas / Метан (G20) (C)	[m3/h] [м3/ч]	0,952
Aria / Air / Luft / Aire / Воздух	[m3/h] [м3/ч]	18
Racc. Gas / Racc. Gaz / Gas fitting / Gasanschluss / Empalme gas / Газовое соединение		UNI-ISO 7/1 R ½
Bruciatore / Bruleur / Burner / Brenner/Quemador / Горелка	[kW] [кВт]	1 x 9
Lava / Pierre volcanique / Lava stone / Lavastein / Piedra lavica / Лавовый камень	[Kg] Лава	4,5

9 kw



G = Gas / Gaz / Gas / Gas / Gas / газ

Standard

Griglia carne inox mobile - Grille mobile inox viande - Stainless steel movable grate for meat -
 - Beweglicher Fleischrost aus Edelstahl - Rejilla móvil de acero inox para carne - Передвѣтно
 ргтль для мяса, нершавеющая сталь